

Home Healthcare Referral FAX COVER SHEET

FAX: 888-862-6082

Referral documentation checklist

Type of referral:
Start of care
Resumption of care
Add-on order

Documents and information required:

- Demographic sheet to include:
 - Patient's first and last name
 - o Address and phone number of where patient will receive homecare services
 - Email address
 - Patient's primary language
 - Patient-selected representative or power of attorney
 - o Insurance information
 - Emergency contact information
 - Caregiver information
- For patients with primary or secondary Medicare or Medical Assistance, a completed Face-to-Face encounter document must be signed by an eligible provider: physician, PA or NP
- □ Provider's homecare order (if Face-to-Face document not required)
- □ Referring provider's name and phone number
- □ Name and phone number of the provider who will follow the patient during home care and sign homecare orders as needed (if different than the referring provider).
- □ Medication profile
- □ Hospital transfer/discharge summary (if applicable)
- □ History and physical

Home infusion document and information requirements:

- □ Current labs
- □ Signed provider's order with medication, dose, frequency and duration
- □ PICC line X-ray, tip placement, length of PICC line
- Lab/blood work orders (if applicable) and the provider who should receive the results

NEXT STEPS AFTER REFERRAL SUBMISSION

Fax submission does not guarantee acceptance of the referral or an admission to homecare services.

- If the referral **cannot be accepted** or information/documentation is missing, you will receive a response via fax.
- Accepted referrals will be assigned to a homecare consultant who will contact you regarding the patient's anticipated admission.

Home Health Orders

Initial certification and orders must be signed and dated by the ordering provider. (MD, PA, NP)

| Patient name: | | Patient DOB: | | |
|---|---|--|--|--|
| Face-to-face encounter occurred on this date: | | | iires home health services: 🗌 YES | |
| Face-to-face encounter | | | | |
| Assessment of medical condition during Muscle weakness Shortness of breath Generalized weakness and fatigue Other: | Wound infection Unsteady gait Immune-compro | or non-healing wound | Non-weight or partial weight bearing Pain | |
| Patient requires assistance to leave the home because: (check all that apply) High fall risk Open/draining wound Muscle weakness Special transportation needs Surgical procedure Aide of another person to safely leave home Wheelchair bound requiring assistance Requires use of assistive device (walker or cane) Cognitive deficits impair judgement safe navigation and decision making High fall risk from shortness of breath/distress after ambulating >10 feet Medical contraindication Other: | | | | |
| Home health care plan oversight REQUIRED: Name the provider who is e | | ome health plan of care an | d sign home health orders | |
| Provider name: | | Phone: | a sign nome nearth orders. | |
| Provider name: Phone: | | | | |
| HOME HEALTHCARE O | RDERS | | | |
| Isolation precautions: Airborne Enteric Contact COVID-19 Droplet Enhanced Precautions | | | | |
| Do Not Resuscitate: | | | | |
| Skilled nursing Medication management Disease management Nutritional management Anticoagulation Other: | ☐ LVAD ☐ Urinary Catheter ☐ Drain care | □ Cardiovascular cardio □ New cardiovascular n □ Diabetes mellitus ass | | |
| | | | | |

U Wound care Wound 1

| Location: | Cleanse: |
|-------------|---------------------|
| Apply: | Frequency: |
| Cover with: | Next treatment due: |

Wound 2

| Location: | Cleanse: |
|-------------|---------------------|
| Apply: | Frequency: |
| Cover with: | Next treatment due: |

Wound care comments: _____

Wound 3

| Location: | Cleanse: |
|-------------|---------------------|
| Apply: | Frequency: |
| Cover with: | Next treatment due: |

Wound care comments: _____

Wound 4

| Location: | Cleanse: |
|-------------|---------------------|
| Apply: | Frequency: |
| Cover with: | Next treatment due: |

Wound care comments: _____

□ Home health aide (Not a personal care service; must also have skilled nursing ordered)

□ Infusion therapy

| Start date: | End date: | Next treatment due: | |
|-------------------------|-----------|---------------------|--|
| Name and dosage: | | | |
| Frequency and duration: | | | |
| Type of line: | Location: | Date of insertion: | |
| Line flush instruction: | | | |

TPN

| Start date: | End date: | Next treatment due: |
|-------------------------|--------------------|---------------------|
| Formula and dosage: | | |
| Type of line | | |
| Location: | Date of insertion: | |
| Line flush instruction: | | |

Tube feeding

| Start date: | End date: | Next treatment due: |
|---------------------|---------------|---------------------|
| Formula and dosage: | | |
| Route: | Admin method: | |
| Flush instruction: | | |
| | | |

Infusion therapy comments: _____

□ Labs □ Venipuncture □ Central Line □PT/INR □CBC □BMP □LFT □CMP □CRP and ESR □CK □Vanc level (random) □Vanc level (trough)

□Other:

| Start date: | Frequency: | | |
|---------------------------|------------|------|--|
| Goal INR range: | | | |
| Physician following labs: | Phone: | Fax: | |

Therapy orders

ordered)

ordered)

O Gait training

○ Bed mobility

○ Fall prevention

○ Transfer training

Check below, if applicable

○ PT evaluation and treatment

○ PT to assess for OT (check only if OT not

○ PT to assess for SN (check only if SN not

O Therapeutic exercise and home exercise

O Home safety assessment and training

○ Staple removal surgical wound care

Adaptive equipment/DME training

NWB LLE (non-weight bearing left lower extremity)

TTWB RLE (toe touch weight bearing right lower extremity)
 TTWB LLE (toe touch weight bearing left lower extremity)
 WBAT RLE (weight bearing as tolerated right lower extremity)
 WBAT LLE (weight bearing as tolerated left lower extremity)

○ Balance and neuro reed training

○ Pain management/education

☐ OT evaluation and treatment Check below, if applicable

- OT evaluation and treatment
- Transfer training
 - ADL training
 - IADL training
 - O Low vision
 - Cognitive training
 - Bed mobility
 - Balance training
 - Adaptive equipment training
 - O Energy conservation
 - Therapeutic exercise and home exercise
 - Home safety training
 - Pain management
 - \odot Fine motor training
 - \odot Sensory integration training
 - Orthotics and splinting
 - Other: _____

- Skin integrity education
- O Edema management

○ Wheelchair training

○ Prosthetic training

Other: _

Other:

Weight bearing restrictions:

Precautions and protocols:

□ SLP evaluation and treatment

Check below, if applicable

O Dysphagia trainingO Aphasia training

○ Cognitive training

○ Auditory training

○ Other:

training

ST evaluation and treat

○ Voice and communication

O Comprehension training

- □ Spinal precautions
- Heel WB, Transfers on RLE (heel weight bearing, transfers only right lower extremity)
 - Other:

□ Medical social worker (must also have skilled nursing or PT ordered)

Heel WB, Transfers only LLE (heel weight bearing, transfers only left lower extremity)

Referring provider information (physician, PA, NP)

| Provider signature: | Date: | Time: |
|--------------------------------|---------------|-------|
| Printed name: | NPI: | |
| | INI I. | |
| Pager/phone: | | |
| Provider practice/clinic name: | Phone number: | |